



BALANCED GROUPS AND RINGS

Adel A. Abdelkarim*

Mathematics Department, Faculty of Science, Jerash University, Jerash, Jordan

(Received on: 27-04-13; Revised & Accepted on: 31-08-13)

ABSTRACT

A finite group G is balanced if the product of its elements, in some order, or its square is the identity element. We give examples of some balanced groups. Let R be a ring (not necessarily commutative) with a finite cyclic group U of units of order n . It is shown that the product of units is -1 if n is even and it is 1 if n is odd. Let D be an integral domain with a finite number n of units and with $ch(D)$ different from 2 . It is shown that the product of units is -1 . Let R be a commutative ring with 1 whose characteristic is not 2 and that has a finite group of units U and let the order of U be n . It is shown that n is even. Let R be a commutative ring with 1 which has a finite number of units and let A be the nil radical of R . Then R/A has a finite number of units whose product is 1 or $-1 \pmod A$.

Subject class number: 16U60.

Keywords: n -balanced groups and rings, units, nil radical.

INTRODUCTION

A finite group is called n -balanced (NB) if we can arrange the elements in some order such that when we multiply out these elements in this order and raise the result to the n -th power we get the identity. The group is *freely n -balanced* (FNB) if the product of its elements, in any order, when raised to the n -th power gives the identity. A ring with unity is called NB or FNB if it has NB or FNB finite group of units. Let us call a group or a ring to be *balanced* if it is 1 or 2-balanced, free or not. Let G be a multiplicative group of odd order $2n+1$. Then G is 1B: For there is no elements which coincides with its own inverse except the identity and so we get $e(b_1 b_1^{-1}) \dots (b_n b_n^{-1}) = e$. Thus in any finite field F of characteristic 2 the non zero elements form a 1B multiplicative group. Let G be a multiplicative cyclic group of even order $2m$ then it is F2B. For, the product of its elements is the unique element of order 2 . It follows that if p is an odd prime and if F is a finite field of characteristic p then the group of units is F2B. By the fundamental theorem of finite Abelian groups every finite Abelian group is F1B or F2B.

Proposition 1: Any finite product of balanced groups (or rings) is a balanced (group) or ring.

The proof is trivial.

Example 1:

- The symmetric group S_3 is 2-balanced. For $(123)(12)(13)(23)(132)=(123)(13)(132)=(12)$ and (12) has order 2 . We notice that the equilateral triangle is balanced.
- Similarly the dihedral group $D_4 = \{e, (1234), (13)(24), (1432), (12)(34), (14)(23), (13), (24)\}$ is 2-balanced: for the product of the first four elements is $(13)(24)$, the product of the last four elements is e and the square of $(13)(24)$ is e . Again the square is balanced. It looks like that the general dihedral group D_n is balanced although I have no proof for this.
- It can be shown that S_4, A_4, V_4 are balanced.

Question 1: For every n is it true that S_n, A_n are balanced?

Question 2: Is every finite non Abelian group is balanced?

Corresponding author: Adel A. Abdelkarim

Mathematics Department, Faculty of Science, Jerash University, Jerash, Jordan

E-mail: adelafifo_afifo@yahoo.com

We restrict our attention in the rest of this paper to a special class of groups, namely the group of units of a ring and especially commutative rings.

Remark 1: (1) Let U be the group of units of the ring Z_{p^n} , where p is an odd prime and $n \geq 1$. Then U is F2B.

(2) Let U be the group of units of Z_{2^n} , $n > 1$. Then U is F2B.

(3) Let U be the group of units of Z_{2p^n} , where p is an odd prime and $n \geq 1$. Then U is F2.

Proof:

(1) Assume p is odd. Then the group of units is of even order $p^n - p^{n-1}$ and it is cyclic because the number p^n has a primitive root. Then from proposition 1 the product is -1.

(2) If $n=1$ then the product of units is 1. If $n=2$ then the product of units is -1. Let $n \geq 3$ then the multiplicative group of units is isomorphic with the additive group $G = Z_2 \oplus Z_{2^{n-2}}$ and so the product of units corresponds to the sum of elements in G which is 0 and so the product of units in R is 1.

(3) Let U be the multiplicative group of units of R . Then U is isomorphic to the additive cyclic group $Z_{p^n - p^{n-1}} = S = Z_{2m}$. Now the product b of elements of U corresponds to the sum a of elements of group S and $a=m$ of order 2 and it is the only such element. Since -1 is in U and it is of order 2 it follows that the product of units is -1.

Proposition 2: Let D be an integral domain with a finite group U of units of order n . Then D is balanced.

Proof: If the characteristic of D is 0 then D contains a copy of Z and the units of D form a non trivial subgroup of the cyclic group of some n -th roots of unity. By proposition 1 the product of units is 1 or -1. If the characteristic is p then the group of units $U(D)$ is a subgroup of the cyclic group of non zero elements of a finite field F of characteristic p . Then by proposition 1 the product of units is 1 or -1.

Remark 2:

(1) Let p be a prime integer and let $R = Z_{p^n}$. Let U be the group of units of R . Let b be the product of elements of U . Then $b = -1$. We have two cases to consider: $p=2$ and $p \neq 2$.

Let $p=2$. If $n=1$ then $b=1=-1$. If $n=2$ then the $b=3=-1$. If $n>2$ then multiplicative group U is isomorphic with the additive group $G = Z_2 \oplus Z_{2^{n-2}}$. Then the product b of elements of U corresponds to the sum of elements of G which is $(0,0)$ and so $b=1=-1$.

Now we consider the case p is an odd prime. Then p^n has a primitive root. Thus U is cyclic of even order $p^n - p^{n-1}$ and so $b=-1$ by corollary 1.

(2) Let $R = Z_{2p^n}$, p is an odd prime. Then $2p^n$ has a primitive root and so U is cyclic of even order and so the product, by corollary 1 is $b=-1$. The last assertion is clear since the radical is isomorphic with Z_2 .

Proposition 3: Let R be the ring Z_m , $m = p_1^{e_1} \dots p_n^{e_n}$, $n > 1$, $e_i > 1$, $i=1, \dots, n$, where the p_i are distinct primes. Let U be the multiplicative group of units in R and let b be the product of elements of U . Then $b=1$ in R .

Proof: The ring R is isomorphic with the ring $T = R_1 \oplus \dots \oplus R_n$, where $R_i = Z_{p_i^{e_i}}$. Let $U_i = U(R_i)$, k_i the order of U_i and let b_i be the product of elements of U_i . Let l_i be the sum of all k_j except k_i . Then $U(R)$ is isomorphic with the direct sum of U_i . If p_1 is not 2 then all l_i are even and b is the product of all $b_i^{k_i}$ which is equal to $(1, \dots, 1) = 1_R$. If $p_1=2$ $e_1=e>1$. Then $R=Z \oplus S$, S is nontrivial. Then b is the product of even number of the element $b' = (\pm 1, 1)$ and this is 1_R .

Proposition 4: Let R be a commutative ring with 1 whose characteristic is not 2 and which has a finite group U of units of n elements. Then n is even.

Proof: Assume that U has odd number of elements. Then U is isomorphic to a finite direct product of n primary multiplicative cyclic groups $C_i = \langle a_i \rangle$, $i=1, \dots, n$ each of order some prime power. Let us first assume $n=1$ and so $U = \langle a \rangle$

and let the order of a be m . Now -1 is a unit different from 1 and so $-1=a^k$. But then $a^{2k}=1$. Using division algorithm we have $2k=lm+r$, $0 \leq r < n$. It follows that $a^r=1$ and this is a contradiction since $0 \leq r < n$. In case $n=2$ then U is the direct sum of two cyclic groups $\langle a_1 \rangle$, $\langle a_2 \rangle$ of order k , l respectively. Then -1 can be represented as a pair (a_1^k, a_2^l) . Thus 1 corresponds to $(a_1^{2k}, a_2^{2l}) = (1, 1)$. Using division algorithm we get a similar contradiction. The general case follows from this.

Example 2: The ring Z_8 has a group of units of 4 elements and their product is 1. Let $G=\langle a \rangle$, a^3 . Let $R=\mathbb{Z}_2[G]$ be group ring of Z_2 over G . Then R is a commutative ring with 8 elements. Its characteristic is 2 and the group G of units has 3 elements with a product 1. In most cases the product of units was always 1 or -1. This is not always true in commutative rings with a finite group of units.

Example 3: Let $G=\langle x: x^4=1 \rangle$ be a multiplicative cyclic group of order 4.

Let $R=\mathbb{Z}_2[G]$ be the group ring of G over Z_2 . Then R has 16 elements of the form $a+bx+cx^2+dx^3$, a, b, c, d are in Z_2 . Let V be the multiplicative group of units of R . Then V is contained in the set $W=\{1+ax+bx^2+cx^3, a, b, c \text{ are in } Z_2\}$. Now W has 8 elements: $A=1, B=1+x, C=1+x^2, D=1+x^3, E=1+x+x^2, F=1+x+x^3, G=1+x^2+x^3, H=1+x+x^2+x^3$. Since $C^2=0$ and $H^2=0$, the possible units are A, B, D, E, F, G . Since $A=1$ we have to check only the elements B, D, E, F, G . Here is the multiplication table for these elements:

.	B	D	E	F	G
B	C	x^2C	D	x^2C	x^2B
D	x^2C	C	x^2B	x^2B	B
E	D	x^2B	x^3	x	0
F	x^2C	x^2B	x	1	x^3
G	x^2B	B	0	x^3	x^2

We see that the only units in R are 1 and F and so the number of units is 2. The product of units is F which is neither 1 nor -1.

Let R be a ring. We denote by \sqrt{R} the nil radical of the ring R generated by the set of nilpotent elements in R .

Remark 3: Let A be the nil radical of the ring R in the example above. Then we notice that the product of units is $F=1+(x+x^3)$ and $(x+x^3)^2=x^2+x^6=x^2+x^2=0$. Thus the product of units is 1 mod A .

The following is, in a way, a generalization of the remark above.

Proposition 5: Let R be a commutative ring with 1 which has a finite number of units and let A be the radical of R . Then R/A has a finite number of units whose product $b = 1$ or -1 mod A .

Proof: R/A is a commutative ring which has no nilpotent elements and let $U = \{u_1, \dots, u_n\}$ be the group of units. Then from the fundamental theorem of Abelian groups $U = \bigoplus_{i=1}^k U_{n_i}$, n_i divides n_{i+1} , $i=1, \dots, k-1$ and U_{n_i} is cyclic of order n_i . In our case each n_i is even. In case $k=1$ then $U=\langle a \rangle$ is cyclic of order $2n$ and the product of its elements is the element $b=a \cdot a^2 \dots a^{2n-1}$. The sum of the exponents in the left hand side b is $((1+2n-1)/2) \cdot (2n-1) = 2n^2 - n = n \pmod{2n}$. Thus b has order 2. Since U is cyclic there is only one such element. Since -1 is a unit and has order 2 then $a^n = -1$. If $k>1$ then the product of units is the same as the product of units of order 2. Each such element is of the form (x_1, \dots, x_k) where each x_i is either the identity element of U_{n_i} or the unique element a_i in U_{n_i} of order 2. Since $k>1$, when we multiply out the units each a_i is repeated even number of times. Thus the product is 1. Therefore the product of units in R/A is 1 or -1 mod A .

In the following we compute the product of units of other two examples of a commutative rings with a finite group of units

Example 4:

- (1) Let m be a positive integer and let ω be a primitive m -th root of unity in the complex plane. Let $R=\mathbb{Z}[\omega]$. If m is odd the group of units constitutes of the m -roots of 1 together with their negatives and so it is the group of the $2m$ -th roots of 1 and it is a cyclic group of order $2m$. If m is even then -1 is an m -th root of 1 and we see that the set of m -th roots of 1 coincides with the group of units of R which is then cyclic and the product of units is -1.
- (2) Let m be a positive integer and let R be the ring \mathbb{Z} equipped with all m -th roots of -1 in the complex plane. Then the group of units of R is the group of $2m$ -th roots of unity. We see that the product of units is -1.

So far, we have seen that the number of units in a commutative ring is an even integer. There is an open question:

Question 3: Given a finite Abelian group G of even order $2n$ is there a commutative ring R with 1 such that the group of units is isomorphic with U ?

We give an example of a finite non commutative ring with 1 whose group of units U is finite and isomorphic with S_3 .

Example 5: Let R be the matrix ring of all 2 by 2 matrices over Z_2 . There are 16 matrices in R and U is non Abelian that has 6 elements each of which has determinant 1. They are

$$e = \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}, b = \begin{bmatrix} 1 & 0 \\ 1 & 1 \end{bmatrix}, c = \begin{bmatrix} 1 & 1 \\ 0 & 1 \end{bmatrix}, d = \begin{bmatrix} 1 & 1 \\ 1 & 0 \end{bmatrix}, h = \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}, f = \begin{bmatrix} 0 & 1 \\ 1 & 1 \end{bmatrix}.$$

U is isomorphic with S_3 .

Proposition 6: Let U be a given finite Abelian group. There is a commutative ring R with 0 -nilradical and with group of units containing U .

Proof: By the fundamental theorem of Abelian groups U is a direct sum of primary cyclic groups. Assume that the corresponding orders are n_1, \dots, n_k , respectively. For every n_i we take the ring R_i to be the ring Z equipped with the set of all n_i -th roots of 1 and we take R to be the direct sum of the rings R_i . Clearly the group of units of R contains the group U .

We finish with

Question 4: Is any finite group balanced?

BIBLIOGRAPHY

- [1] Burton, David M., Elementary Number Theory, Allen and Bacon, 1976
- [2] Gallian, Joseph A., Contemporary Abstract Algebra, Fourth Edition, Narosa Publishing House, 1999
- [3] B.L van der Waerden, Algebra, Volume I, Frederick Unger Publishing Co., New York
- [4] Zariski, O. and P. Samuel, Commutative Algebra, Volume I, Springer-Verlag, 1979.

Source of Support: Jerash University (Jordan), Conflict of interest: None Declared